





REPORT DOCUMENTATION PAGE					Form Approved OMB No 0704-0188		
1a REPORT SECURITY CLASSIFICATION UNCLASSIFIED	16 RESTRICTIVE MARKINGS						
2a SECURITY CLASSIFICATION AUTHORITY	3 DISTRIBUTION AVAILABILITY OF REPORT						
DECLASSIFICATION / DOWNGRADING SCHEDULE		Approved for Public Release Distribution Unlimited					
PERFORMING ORGANIZATION REPORT NUMBER(S)		5 MONITORING ORGANIZATION REPORT NUMBER(5)					
NAME OF PERFORMING ORGANIZATION Department of Chemistry	6b OFFICE SYMBOL (If applicable)	7a NAME OF MO	ONITORING ORGANI	IZATION			
Universityof North Carolina		Office of Naval Research					
. ADDRESS (City, State, and ZIP Code)	7b ADDRESS (City, State, and ZIP Code)						
Campus Box 3290	Department of the Navy						
Chapel Hill, NC 27599-32	Arlington, VA 22217						
NAME OF FUNDING / SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9 PROCUREMENT	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER				
	1 , , , , , , , , , , , , , , , , , , ,		N0014-86-K-0608				
:. ADDRESS (City, State, and ZIP Code)			UNDING NUMBERS				
		PROGRAM ELEMENT NO		TASK NO	WORK UNIT ACCESSION NO		
			1 1	NR 05:			
11. TITLE (Include Security Classification) UNCL	ASSIFIED: "S	vnthesis a	nd Charact	eriza	ation of New		
Low-Dimensional Metal Comp							
12. PERSONAL AUTHOR(S)	12. PERSONAL AUTHOR(S)						
	William E. Hatfield						
Final Report FROM 5/1/86 TO4/30/89 October 1, 1989 12							
16 SUPPLEMENTARY NOTATION	4						
17 COSATI CODES	13. SUBJECT TERMS (Continue on revers	e if necessary and i	identify i	by Ulock number)		
FIELD GROUP SUB-GROUP							
mixed-valence compounds, yttrium, barium,							
magnetic susceptibility copper complexes - >							
Final report which contains a recapitulation of accomplishments and							
conclusions. A listing of all technical reports and journal articles							
emanating from the contract is included along with the names of all per-							
sonnel who participated in the research.							
			•				
				ELI	ECTE		
	OCT 1 0 1989						
				Ì	ia .		
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT	21 ABSTRACT SECURITY CLASSIFICATION						
ESUNCLASSIFIED/UNLIMITED X SAME AS F	RPT DTIC USERS	UNCLAS:	SIFIED Include Area Code)	220 05	FICE SYMBOL		
		LEG REEL HORE		1100			
DD Form 1473, JUN 86	Previous editions are	obsolete.	SECURITY CI	LASSIFICA	ATION OF THIS PAGE		

THE FREE COPY

UNCLASSIFIED

No. 13. Subject terms continued

- electrical conductivity, inorganic solids, oxides. sulfides. halides: organic solids superconductivity, methal dithiolates, organic solids

OFFICE OF NAVAL RESEARCH

FINAL REPORT

for

Contract #N00014-86-K-0608

R & T Code 413A001---01

"Synthesis and Characterization of New Low-Dimensional Metal Complex Conductors"

William E. Hatfield

University of North Carolina

Department of Chemistry

Chapel Hill, North Carolina 27599-3290

Reproduction in whole, or in part, is permitted for any purpose of the United States Government.

* This document has been approved for public release and sale: its distribution is unlimited.



NTIS DTIC Unarn	Sign For COURT A THR Sign A The Mon.	
By	eihution/	
-	lobility Codes	
Dist	Avail and/or Special	
A-1		

FINAL REPORT

Accomplishments and Conclusions

This research program was devoted to the synthesis and characterization of new transition metal complex electrical conductors. The primary objective of the program is to develop guidelines which will lead to the rational synthesis of electrical conductors with desired properties, with a secondary mandate being to solve important scientific problems that are encountered in the research.

Mixed-valence compounds provide very good candidates for electrically conducting materials. Studies on the compounds KCu_4S , $K_3Cu_8S_6$, and KCu_3S_2 show that $K_3Cu_8S_6$ is a kinetic phase and displays behavior typical of systems with charge density waves. Magnetic, electrical, and X-ray studies on these compounds are discussed in detail in Technical Report No. 25 (Jan. 7, 1987). Magnetic, spectral, and electrical conductivity studies on the mixed-valence compounds with cationic copper complexes and donors such as TCNQ have permitted an evaluation of the transport mechanism in this series of compounds. example, as discussed in Technical Reports Nos. 26 (May 15, 1987) and 27 (July 10, 1987), one-third of an electron (per formula unit) is transferred from TCNQ to $[Cu(phen)_2]^{2+}$, E and t are of comparable magnitudes, the bandwidth is appreciable, and high electrical conductivities and low activation energies are expected and observed. Current ideas concerning significant problems in low-dimensional crystalline inorganic and organic solids have been identified (Technical Report No. 31).

The new high-temperature copper ceramic superconductors fit naturally in our program because these are good examples of mixed-valence systems. Magnetic and electrical studies on the 1-2-3 compounds revealed frustration and spin-glass behavior (Technical Report No. 30) amd variable-range hoping in oxygen-depleated samples (Technical Report No. 29). Studies on the Bi-Ca-Sr-Cu-O superconducting ceramics revealed effects of composition and firing conditions on the properties of these materials (Technical Report No. 32). Current studies are devoted to Sn doped samples of the new bismuth superconductors. Here Mossbauer spectroscopy is being used to probe electronic structures.

As a part of our continuing effort to produce two-dimensional mixed-valence copper complexes, we studied a number of suitable candidates including a series of copper carboxylates. As discussed in Technical Report No. 34, the two-dimensional complex copper(II) maleate monohydrate undergoes a transition to a ferromagnetically ordered state at 4 K. The ferromagnetic interaction occurs as a result of the relative orientation of the magnetic orbitals and the orbitals of the bridging carboxylate group which transmits the superexchange mechanism. Unusual materials have been generated in this phase of our work, and characterization of them is still underway.

Much attention was paid to the bis(phthalocyanato)lanthanides which have sandwich-like structures and are capable
of existing in two oxidation states. The compounds may also be
doped with iodine, and single crystals may be grown by using

electrochemical techniques. As discussed in Technical Report No. 34, the electrical conductivities of the iodine doped substances are several orders of magnitude higher than those of the undoped materials. The conductivity behavior may be explained in terms of the variable hopping mechanism for heavily doped semiconductors. Calculations using the angular overlap model were carried out the aim of reproducing magnetic properties, and as discussed in Technical Report No. 35, the results show that the pyrollic nitrogen donor atoms are weak sigma donors and moderate pi donors. Some very exciting new magnetic results have been obtained for the oxidized Ln(Pc)₂ compounds with Tb, Dy, Ho, Er, Tm, and Lu. These results form the basis for technical reports to be issued in the near future.

List of Publications:

M. Schwartz, W. E. Hatfield, M. D. Joesten, M. Hanack, and
A. Datz, "Magnetic Exchange Interactions in the Linear Chain
Chromium Compounds Catena-

fluorophthalocyaninatochromium(III) and <u>Catena-</u>
cyanophthalocyaninatochromium(III)", <u>Inorg. Chem.</u> 1985, <u>24</u>,
4198.

ter Haar, L. W.; Di Salvo, F. J.; Bair, H. E.; Fleming,
R. M.; Wasazczak, J. V.; Hatfield, W. E. "Charge Density
Waves in the Mixed-Valence Two-Dimensional Metal, K₃Cu₈S₆",

Phys. Rev. B: Condsd. Matter 1987, 35, 1932-1938.

Schwartz, M.; Hatfield, W. E. "Spectroscopic and Magnetic Studies of Two Electrically Conducting Charge Transfer Compounds of 7,7,8,8-Tetracyanoquinodimethanide with Cationic Copper Chelates", <u>Inorg. Chem.</u>, 1987, <u>26</u>, 2823.

Schwartz, M.; Hatfield, W. E. "Correlation of Spectroscopic and Magnetic Data of Two Charge Transfer Compounds of TCNQ with Cationic Copper Chelates", In "Organic and Inorganic Crystalline Materials", NATO ASI Series Volume, P. Delhaes and M. Drillon, Editors, New York: Plenum Press, Series B: Physics Vol. 168, p. 345.

Keller, H. J.; Bandrauk, A. D.; Bayon, J. C.; Bellito,
C.; Clark, R. J. H.; Day, P.; Haasnoot, J. G.; Hatfield,
W. E.: Jones, M. T.; Papavassiliou, G.; Robert, T.; von
Schultz, J. U.; Underhill, A. E.; Whangbo, M.-H. "New Highly
Conducting Systems", In Organic and Inorganic Low-Dimensional
Crystalline Materials; Delhaes, P., Drillon, M., Eds.;
Plenum: New York 1987; 457-461.

Hatfield, W. E.; Miller, J. H., Jr.; Editors;

High-Temperature Superconducting Materials: Preparations,

Properties, and Processing; Marcel Dekker, Inc.; New York

1988, 389 pages.

Hatfield, W. E.; Rohrs, B. R.; Kirk, M. L.; Helms, J. H.; Ro, H.; Williamson, E. J. "Magnetic Anomalies in the Rare Earth Oxide Superconductors GdBa₂Cu₃O_{7-x} and YbBa₂Cu₃O_{7-x}"; In <u>High Temperature Superconducting Materials: Preparations</u>, Properties, and Processing; Hatfield, W. E., Miller, J. H., Jr., Eds; Marcel Dekker, Inc.: New York 1988; 313-320.

Miller, J. H., Jr.; Liu, B.; Riley, W. J.; Dibianca,
A. N.; Holder, S. L.; Hunn, J. D.; Rohrs, B. R.; Hatfield,
W. E. "Temperature-Dependent Conductivity of Oxygen-Depleted
YBCO Ceramics"; In High Temperature Superconducting
Materials: Preparations, Properties, and Processing;

Hatfield, W. E., Miller, J. H., Jr., Eds; Marcel Dekker, Inc.: New York 1988; 243-249.

Hatfield, W. E. "The Advent of High Temperature
Superconducting Materials: Chronology of Events and Hallmark
Developments"; In <u>High Temperature Superconducting</u>
Materials: Preparations, Properties, and Processing;
Hatfield, W. E., Miller, J. H., Jr., Eds; Marcel Dekker,
Inc.: New York 1988; 37-65.

Padilla, J.; Hatfield, W. E.; Wasson, J. R.; Estes, W. E. "Ferromagnetic Long Range Ordering in Copper(II) Maleate
Monohydrate", Transition Metal Chemistry, 1989.

Padilla, J.; Hatfield, W. E. "Magnetic and Electrical Properties of Sandwich-Like Lanthanide Phthalocyanines", Synthetic Metals 1989, 29, F45-F50.

Miller, J. H., Jr.; Hatfield, W. E.; Rohrs, B. R.; Kirk, M. L.; Perkinson, J. L.; Trojan, K. L.; Hunn, J. D.; Zhang, Z. H.; Riley, W. J. "Synthesis and Characterization of BiCaSrCuO and BiSnCaSrCuO Superconducting Ceramics", In High Temperature Superconductivity - The First Two Years; Metzger, R. M., Editor; New York: Gordon and Breach Science Publishers; pp. 235-240.

List of Technical Reports:

ter Haar, L. W.; Di Salvo, F. J.; Bair, H. E.; Fleming, R. M.; Wasazczak, J. V.; Hatfield, W. E. "Charge Density Waves in the Mixed-Valence Two-Dimensional Metal, K_{3C}u₈S₆", Technical Report No. 25.

Schwartz, M.; Hatfield, W. E. "Two Electrically Conducting Charge Transfer Compounds of 7,7,8,8-Tetracyanoquinodi-methanide with Cationic Copper Chelates", Technical Report No. 26.

Schwartz, M.; Hatfield, W. E. "Correlation of Spectroscopic and Magnetic Data of Two Charge Transfer Compounds of TCNQ with Cationic Copper Chelates", Technical Report No. 27.

Hatfield, W. E. "The Advent of High Temperature Superconducting Materials: Chronology of Events and Hallmark Developments"; Technical Report No. 28.

Miller, J. H., Jr.; Liu, B.; Riley, W. J.; Dibianca,

A. N.; Holder, S. L.; Hunn, J. D.; Rohrs, B. R.; Hatfield,

W. E. "Temperature-Dependent Conductivity of Oxygen-Depleted

YBCO Ceramics"; Technical Report No. 29.

Hatfield, W. E.; Rohrs, B. R.; Kirk, M. L.; Helms, J. H.; Ro, H.; Williamson, E. J. "Magnetic Anomalies in the Rare

Earth Oxide Superconductors $GdBa_2Cu_3O_{7-x}$ and $YbBa_2Cu_3O_{7-x}$ "; Technical Report No. 30.

Keller, H. J.; Bandrauk, A. D.; Bayon, J. C.; Bellito,
C.; Clark, R. J. H.; Day, P.; Haasnoot, J. G.; Hatfield,
W. E.; Jones, M. T.; Papavassiliou, G.; Robert, T.; von
Schultz, J. U.; Underhill, A. E.; Whangbo, M.-H. "New Highly
Conducting Systems", Technical Report No. 31.

Miller, J. H., Jr.; Hatfield, W. E.; Rohrs, B. R.; Kirk, M. L.; Perkinson, J. L.; Trojan, K. L.; Hunn, J. D.; Zhang, Z. H.; Riley, W. J. "Synthesis and Characterization of BiCaSrCuO and BiSnCaSrCuO Superconducting Ceramics", Technical Report No. 32.

Padilla, J.; Hatfield, W. E.; Wasson, J. R.; Estes, W. E. - "Ferromagnetic Long Range Ordering in Copper(II) Maleate Monohydrate", Technical Report No. 33.

Padilla, J.; Hatfield, W. E. "Magnetic and Electrical Properties of Sandwich-Like Lanthanide Phthalocyanines", Technical Report No. 34.

Padilla, J.; Hatfield, W. E. "Application of the Angular Overlap Model to Lanthanide Phthalocyanines", Technical Report No. 35.

List of names of graduate students and post-doctorals

who participated in the project:

Martin Kirk - Graduate Student

Juan Padilla - Graduate Student

Lingqian Qian - Graduate Student

Y.-I. Kim - Post-doctoral Research Associate

Hye-Kyeong Ro - Graduate Student

J. L. Perkinson - Graduate Student

K. L. Trojan - Graduate Student